

VALENA LIFE - RAMKA DREWNO WENGE PODWÓJNA

Charakterystyka ogólna

Ramki do montażu poziomego lub pionowego

Parametry produktu

Ramka DREWNO

- Podwójne 86 x 157 [mm]

Pliki do pobrania



Strona katalogowa



Deklaracja CE




Deklaracja CE tłumaczenie



Dane techniczne

754172



Cena bez VAT

21 zł / SZ.

wartość rabatów ustala hurtownia

* Podane ceny są cenami katalogowymi producenta dla klientów biznesowych w Polsce. Nie stanowią podstawy do utrzymywania ceny odsprzedaży. Ceny nie zawierają podatku VAT. Styczeń 2017 r.

Wszelkie dane zawarte w e-katalogu Legrand (np. charakterystyki, rysunki, zdjęcia, ceny) mogą ulec zmianie. Legrand Polska zastrzega sobie prawo do dokonywania tych zmian.

tabela doboru ramek Valena™ Life




RAMKI DO MONTAŻU POZIOMEGO LUB PIONOWEGO			Pojedyncze 86 x 86 [mm]		Podwójne 86 x 157 [mm]		Potrójne 86 x 228 [mm]		Poczwórne 86 x 299 [mm]		Pięciokrotne 86 x 370 [mm]	
			Pak.		Pak.		Pak.		Pak.		Pak.	
LINIA	NEUTRAL	Biały	7540 01	20	7540 02	10	7540 03	10	7540 04	10	7540 05	10
		Kremowy	7540 41	20	7540 42	10	7540 43	10	7540 44	10	7540 45	10
		Biały / Chrom	7540 31	10	7540 32	10	7540 33	5	7540 34	5	7540 35	5
		Kremowy / Złoto	7540 61	10	7540 62	10	7540 63	5	7540 64	5	7540 65	5
		Perłowy	7541 41	10	7541 42	10	7541 43	5	7541 44	5	7541 45	5
	GRFIKA	Lodowa Fantazja	7541 01	10	7541 02	10	7541 03	5	7541 04	5	7541 05	5
		Kremowa Fantazja	7541 11	10	7541 12	10	7541 13	5	7541 14	5	7541 15	5
		Link	7541 21	10	7541 22	10	7541 23	5	7541 24	5	7541 25	5
	BARWA	Limonkowy	7540 81	10	7540 82	10	7540 83	5	7540 84	5	7540 85	5
		Ceglasty	7540 71	10	7540 72	10	7540 73	5	7540 74	5	7540 75	5
		Popielaty	7540 91	10	7540 92	10	7540 93	5	7540 94	5	7540 95	5
	METAL	Aluminium	7541 31	10	7541 32	10	7541 33	5	7541 34	5	7541 35	5
		Stalowy	7541 51	10	7541 52	10	7541 53	5	7541 54	5	7541 55	5
		Miedziany	7541 61	10	7541 62	10	7541 63	5	7541 64	5	7541 65	5
	DREWNO	Wenge	7541 71	10	7541 72	10	7541 73	5	7541 74	5	7541 75	5
		Dąb	7541 81	10	7541 82	10	7541 83	5	7541 84	5	7541 85	5
SPECJALNE	Biała z uchwytem etykiety		7540 11	5	7540 12	1	7540 13	1	–	–	–	–
	Kremowa z uchwytem etykiety		7540 51	5	7540 52	1	7540 53	1	–	–	–	–
	Biała IP44 – IK07		7540 21	5	–	1	–	–	–	–	–	–

Uwaga! Wszystkie ramki wykonane są z tworzywa. Nazwy kolorów w linii METAL i DREWNO odzwierciedlają jedynie podobieństwo do materiałów naturalnych.

Nowe produkty oznaczone są czerwonym numerem referencyjnym

Valena Life™ Finish plates Dark Wood

Cat. No(s): 7 541 71/72/73/74/75






1. USE


Frame plates for fitting on Valena mechanisms 1 to 5 gangs.

2. RANGE

PLATES SUPPLIED WITH SMOKE UNDER-PLATES

	1-gang	7 541 71
	2-gang	7 541 72
	3-gang	7 541 73
	4-gang	7 541 74
	5-gang	7 541 75

3. OVERALL DIMENSIONS (mm)



Catalogue Numbers	A	B	C
7 541 71	86	86	9.8
7 541 72	86	157	9.8
7 541 73	86	288	9.8
7 541 74	86	299	9.8
7 541 75	86	370	9.8

4. MOUNTING

The plates are clipped via notches to screw-type or claw-type supports (the notches are used to compensate for the thickness. Example: wall carpet). The plates are fitted with a protective film that is to be removed before use. Easy to remove with a screwdriver using the slots on the side of the plate.

5. TECHNICAL DATA

■ 5.1 Mechanical characteristics

Impact tests: IK 04

■ 5.2 Material characteristics

Decor plates: ABS

Under-plates: PC

UV resistant

Halogen free

Self-extinguishing: 650° C / 30 s

■ 5.3 Climatical characteristics

Storage temperature: - 10° C to + 70° C

Use temperature: - 5° C to + 50° C

6. CLEANING

Surface cleaning with a cloth.

Do not use: acetone, tar remover, trichloroethylene.

Dish-washer proof.

■ 6.1 Resistance to the following cleaning substances

- Hexane (EN 60669-1),
- Methylated spirit,
- Soapy water,
- Diluted ammonia,
- Diluted pure bleach 10%,
- Glass cleaning product,
- Pre-impregnated wipes.

■ 6.2 Resistance to the following hospital-type cleaning substances

- Anios,
- Surfanios,
- Bactylsine,
- Hydrogen peroxide (oxygenated water 35%).

Caution: A spot test should be carried out before using any other specific cleaners.

7. SPECIAL USE

The plates must not be painted.