

		EQUIPPED WITH ILLUMINABLE PUSH-BUTTON						
								
Code		GW 42 201						
Colour		Red RAL 3000						
	Hammer	GW 42 216						
	Replacement glass	GW 42 211						
	Watertight cylinder security lock	-						
	NO	GW 74 201						
	NC	GW 74 202						
	Code	GW 30 951	GW 30 952	GW 30 943	GW 30 945	GW 30 958	GW 30 959	GW 30 960
	Voltage (V AC/DC)	12	24	230	110	12-24	110-230	48
	Power (W)	0.4	0.8	0.4	0.8			
	Light emission	White	White	Red	White	Green	Green	Green

COMPLEMENTARY ITEMS

GLASS BREAKER



GW 42 216

GLASS BREAKER WITH UNIVERSAL FIXING SUPPORT

Code	Colour	Support dimension (mm)	Pack Carton
GW 42 216	Toner black	70x60	1/10

CHARACTERISTICS: the hammer is joined to the base with a fine chain, so it can not be lost.

SPARE GLASS



GW 42 212

SPARE SICUR PUSH GLASS FOR WATERTIGHT ENCLOSURES FOR EMERGENCIES

Code	For enclosures	Pack Carton
GW 42 211	GW42201	1/10
GW 42 213	GW42204 GW42206 GW42207	1/10
GW 42 212	GW42202 GW42203 GW42208	1/10
GW 42 214	GW42231 GW42232	1/10



GW 32 457

SPARE BREAKABLE GLASS FOR PLATES FOR LIFTS/EMERGENCIES

Code	Suitable for	Pack Carton
GW 32 457	GW32450 GW32451 GW32452 GW32453	1/10

ACCESSORIES AND SPARE PARTS



MINIATURE LAMPS WITH WIRED LEAD

Code	Lamp voltage	Lamp power	Lamp	Light emitted	Pack Carton
GW 30 951	12V ac/dc	0.4 W	Incandescence	White	50
GW 30 952	24V ac/dc	0.8 W	Incandescence	White	50
GW 30 943	230 V ac	0.4 W	Fluorescent	Red	50
GW 30 945	110V ac/dc	0.8 W	Fluorescent	White	50

SMOOTH WALLS - IP55 AND IP56



GW 44 234

JUNCTION BOXES WITH PLAIN QUICK FIXING LID - IP55 - GREY RAL 7035



Code	Internal dim. LxHxD (mm)	Max Ø holes possible	Lid screws (no. and type)	Pack Carton
GW 44 234	100x100x50	29 mm	4 insul. a 1/4 turn, sealable	105
GW 44 236	150x110x70	29 mm	4 insul. a 1/4 turn, sealable	50

NOTES: to restore the double insulation and original IP degree of protection of the boxes, use the isolating screwcaps.



GW 44 207

JUNCTION BOXES WITH PLAIN SCREWED LID - IP56 - GREY RAL 7035



Code	Internal dim. LxHxD (mm)	Max Ø holes possible	Lid screws (no. and type)	Pack Carton
GW 44 204	100x100x50	29 mm	4 - Stainless steel	105
GW 44 205	120x80x50	29 mm	4 - Stainless steel	91
GW 44 206	150x110x70	29 mm	4 - Stainless steel	50
GW 44 207	190x140x70	37 mm	4 insul. sealable hinged	30
GW 44 208	240x190x90	37 mm	4 insul. sealable hinged	14
GW 44 209	300x220x120	48 mm	4 insul. sealable hinged	6
GW 44 210	380x300x120	48 mm	4 insul. sealable hinged	4
GW 44 211	460x380x120	48 mm	6 insul. sealable hinged	3

ACCESSORIES SUPPLIED: GW44211 screwcaps for double insulation.

NOTES: to restore the double insulation and original IP degree of protection of the boxes, use the isolating screwcaps or the surface-mounting fixing brackets for boxes measuring at least 190x140mm.



GW 44 217

JUNCTION BOXES WITH DEEP SCREWED LID - IP56 - GREY RAL 7035



Code	Internal dim. LxHxD (mm)	Max Ø holes possible	Lid screws (no. and type)	Pack Carton
GW 44 214	100x100x120	29 mm	4 - Stainless steel	45
GW 44 215	120x80x120	29 mm	4 - Stainless steel	55
GW 44 216	150x110x140	29 mm	4 - Stainless steel	24
GW 44 217	190x140x140	37 mm	4 insul. sealable hinged	16
GW 44 218	240x190x160	37 mm	4 insul. sealable hinged	12
GW 44 219	300x220x180	48 mm	4 insul. sealable hinged	7
GW 44 220	380x300x180	48 mm	4 insul. sealable hinged	3
GW 44 221	460x380x180	48 mm	6 insul. sealable hinged	2

ACCESSORIES SUPPLIED: GW44221 screwcaps for double insulation.

NOTES: to restore the double insulation and original IP degree of protection of the boxes, use the isolating screwcaps or the surface-mounting fixing brackets for boxes measuring at least 190x140mm.

Quick Reference

Code	Quantity		Page
	Pack/carton	Pallet	
GW 40 886	6	90	1368
GW 40 886 BD	6	0	1368
GW 40 886 BS	6	0	1368
GW 40 888	4	80	1368
GW 40 888 BS	4	0	1368
GW 40 889	3	45	1368
GW 40 889 BD	3	0	1368
GW 40 889 BS	3	0	1368
GW 40 890	2	48	1368
GW 40 890 BD	2	0	1368
GW 40 890 BT	2	0	1368
GW 40 891	1	24	1368
GW 40 891 BD	1	0	1368
GW 40 891 BQ	1	0	1368
GW 40 981 TB	1/2	80	1365
GW 40 981 VA	1/2	80	1365
GW 40 981 VT	1/2	80	1365
GW 40 991 TB	1/2	64	1365
GW 40 991 VA	1/2	64	1365
GW 40 991 VT	1/2	64	1365
GW41			
GW 41 225 TB	16	128	1363
GW 41 225 TN	16	128	1363
GW 41 225 VA	16	128	1363
GW 41 225 VT	16	128	1363
GW 41 229 TB	12	192	1363
GW 41 229 TN	12	192	1363
GW 41 229 VA	12	96	1363
GW 41 229 VT	12	96	1363
GW 41 233 TB	5	150	1363
GW 41 233 TN	5	80	1363
GW 41 233 VA	5	40	1363
GW 41 233 VT	5	40	1363
GW 41 237 TB	12	240	1363
GW 41 237 TN	12	240	1363
GW 41 237 VA	12	240	1363
GW 41 237 VT	12	240	1363
GW 41 239 TB	5	60	1363
GW 41 239 TN	5	60	1363
GW 41 239 VA	5	60	1363
GW 41 239 VT	5	60	1363
GW42			
GW 42 001	32	1024	1325
GW 42 002	44	704	1325
GW 42 003	32	512	1325
GW 42 004	16	512	1325
GW 42 005	21	336	1325
GW 42 006	16	256	1325
GW 42 007	10	160	1325
GW 42 008	10	250	1325
GW 42 009	8	128	1325
GW 42 010	5	80	1325
GW 42 201	1/10	900	1292
GW 42 202	1/10	200	1293
GW 42 203	1/10	200	1293
GW 42 204	1/10	400	1292
GW 42 206	1/10	400	1293
GW 42 207	1/10	160	1293
GW 42 208	1/10	200	1293
GW 42 211	1/10	1440	1295
GW 42 212	1/10	1280	1295
GW 42 213	1/10	3120	1295
GW 42 214	1/10	1440	1295

Code	Quantity		Page
	Pack/carton	Pallet	
GW 42 216	1/10	1600	413
GW 42 216	1/10	1600	1295
GW 42 231	1/10	240	1293
GW 42 232	1/10	200	1293
GW43			
GW 43 021 S	1	120	1274
GW 43 022 S	1	91	1274
GW 43 023 S	1	48	1274
GW 43 024 S	1	33	1274
GW 43 040 S	100	31200	1279
GW 43 041 S	1	0	1277
GW 43 042 S	2/20	6240	1278
GW 43 044 S	10/100	3600	1279
GW 43 045 S	10	0	1277
GW 43 047 S	1	100	1276
GW 43 048 S	1	100	1276
GW 43 049 S	1	100	1276
GW 43 052 S	1/10	1280	1279
GW 43 055 S	1	20	1275
GW 43 056 S	1	16	1275
GW 43 057 S	1/5	10	1275
GW 43 058 S	1	33	1275
GW 43 071 S	1/4	364	1275
GW 43 072 S	1/4	224	1275
GW 43 073 S	1/2	200	1275
GW 43 074 S	1/2	160	1275
GW 43 081 S	1	16	1275
GW 43 082 S	1	16	1275
GW 43 083 S	1	20	1275
GW 43 085 S	1	20	1275
GW 43 101 S	1	80	1276
GW 43 102 S	1	80	1276
GW 43 103 S	1	80	1276
GW 43 104 S	1	80	1276
GW 43 111 S	1	0	1276
GW 43 112 S	1	32	1276
GW 43 113 S	1	20	1276
GW 43 114 S	1	6	1276
GW 43 122 S	10/100	0	1278
GW44			
GW 44 001	5/280	8400	1303
GW 44 002	5/135	4725	1303
GW 44 003	5/90	4050	1303
GW 44 004	66	1980	1304
GW 44 005	66	1980	1304
GW 44 006	40	1000	1304
GW 44 007	24	600	1304
GW 44 008	12	300	1304
GW 44 009	6	150	1304
GW 44 010	4	100	1304
GW 44 011	3	60	1304
GW 44 024	66	1980	1303
GW 44 026	40	1000	1303
GW 44 051	5/280	5600	1307
GW 44 051 R	5/280	5600	1307
GW 44 052	5/135	2700	1307
GW 44 053	5/90	2520	1307
GW 44 053 R	5/90	2520	1307
GW 44 054	66	1980	1307
GW 44 054 R	66	1320	1308
GW 44 055	66	660	1308
GW 44 056	40	800	1307
GW 44 056 R	40	640	1308

Code	Quantity		Page
	Pack/carton	Pallet	
GW 44 057	24	384	1308
GW 44 058	12	192	1308
GW 44 059	6	96	1308
GW 44 060	4	64	1308
GW 44 061	3	36	1308
GW 44 114	1/45	900	1306
GW 44 117	1/16	256	1306
GW 44 118	1/12	192	1306
GW 44 119	1/7	84	1306
GW 44 120	1/3	60	1306
GW 44 137	1/16	128	1306
GW 44 138	1/12	192	1306
GW 44 139	1/7	84	1306
GW 44 140	1/3	60	1306
GW 44 204	105	2625	1305
GW 44 205	91	2730	1305
GW 44 206	50	1250	1305
GW 44 207	30	750	1305
GW 44 208	14	350	1305
GW 44 209	6	180	1305
GW 44 210	4	100	1305
GW 44 211	3	75	1305
GW 44 214	45	900	1305
GW 44 215	55	880	1305
GW 44 216	24	600	1305
GW 44 217	16	384	1305
GW 44 218	12	240	1305
GW 44 219	7	140	1305
GW 44 220	3	75	1305
GW 44 221	2	50	1305
GW 44 234	105	2625	1305
GW 44 236	50	1250	1305
GW 44 254	45	360	1309
GW 44 255	55	220	1309
GW 44 256	24	96	1309
GW 44 257	16	240	1309
GW 44 258	12	144	1309
GW 44 259	7	84	1309
GW 44 260	3	48	1309
GW 44 261	2	32	1309
GW 44 274	105	420	1309
GW 44 275	91	1820	1309
GW 44 276	50	800	1309
GW 44 276 C	50	800	1309
GW 44 277	30	480	1309
GW 44 277 C	30	480	1309
GW 44 278	14	224	1309
GW 44 279	6	120	1309
GW 44 280	4	64	1309
GW 44 281	3	48	1309
GW 44 404	108	1728	1310
GW 44 405	108	1728	1310
GW 44 406	50	800	1310
GW 44 407	32	512	1310
GW 44 408	14	224	1310
GW 44 409	6	120	1310
GW 44 410	4	64	1310
GW 44 411	3	48	1310
GW 44 414	45	360	1310
GW 44 415	55	220	1310
GW 44 416	24	384	1310
GW 44 417	16	240	1310
GW 44 418	12	144	1310
GW 44 419	7	84	1310